

Page 1 of 5.

Revision: 11.05.2022

1. Identification of the substance/preparation and of the company/undertaking

Product name:

Tacusil PUA508 White Part A

Manufacturer/Importer/Distributor Representative Company Kitpackers Trading (Huizhou) Co., Ltd. Room 9,11 Floor, Chuangxin Building Block 1, No.1, Technology Road, Technology Chuangxin Park, West of Dayabay, Huizhou City, Guangdong, P.R. China (86752) 5533798 info@tacusil.com.hk

Emergency information:

International – Chemtrec: 01-703-527-3887 (24 hours.)

2. Hazards identification

Classification f the substance or mixture according to GHS

No classification required.

Label elements according to GHS:

No classification required.

3. Composition / information on ingredients

General description:

Mixture

Hazard component CAS-No.	Content	GHS Classification
Aluminium hydroxide 21645-51-2	40~50%	Not Classified
Castor oil 8001-79-4	20~40%	Not Classified
Zeolites 1318-02-1	10~20%	Not Classified

	4. First aid measures
Skin contact:	After contact with skin, wash immediately with plenty of water. Remove contaminated clothing and footwear. If symptoms develop and persist, get medical attention.
Eye contact:	Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Seek medical attention at once.
Inhalation:	Move to fresh air. If symptoms persist, seek medical advice.
Ingestion:	Do not induce vomiting. Never give anything by mouth to an unconscious person. If symptoms develop and persist, get medical attention.
	5. Fire fighting measures
Hazardous combustion products:	Oxides of carbon. Irritating vapors.
Extinguishing media:	Foam, extinguishing powder, carbon dioxide.
Fire-fighting method:	In case of fire, keep containers cool with water spray.
Notice and measures for firing fighting:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out ge
	6. Accidental release measures
Emergency measures:	Wear protective equipment. Do not empty into drains / surface water / ground water. Ensure adequate ventilation. See advice in section 8
Clean-upmethods:	Scrape up spilled material and place in a closed container for disposal. Dispose of contaminated material as waste according to Section 13.

7. Handling and storage

Notice for handling:	Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash
	thoroughly after handling.
	Use only with adequate ventilation.
	Keep container closed.
Notice for storage:	Refer to Technical Data Sheet

8. Exposure controls / personal protection

Control parameters

Exposure limit values Hazardous components	GBZ 2.1-2019	ACGIH	NIOSH	OSHA
Aluminium hydroxide	8 mg/m ³ PC-TWA Total dust.	1 mg/m3 TWA Respirable fraction. 10 mg/m3 TWA Total dust.		none
Engineering controls:	Use only in well ventilate	ed areas.		
Respiratory protection:	Ensure adequate ventilati	Ensure adequate ventilation.		
Eye protection:	Safety glasses with sidesl of splashing.	Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing.		
Body protection:	Wear suitable protective clothing.			
Hand protection:	Suitable materials for she index 2, corresponding to nitrile rubber (NBR; >= 0 Suitable materials for lon corresponding to > 480 m nitrile rubber (NBR; >= 0 This information is based manufacturers, or is deriv practice the working life shorter than the permeati many influencing factors	Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): nitrile rubber (NBR; >= 0.4 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): nitrile rubber (NBR; >= 0.4 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.		
Other protection:	The selection of PPE shall at least compliant with "Law of the People's Republic of China on Prevention and Control of Occupational Diseases" and "Code of practice for selection of personal protective equipments" (GB/T 11651-2008).			
Pictograms for recommended PPE				

9. Physical and chemical properties

Physical state:
Evaporation rate:
pH:
Boiling point:
Vapor density:
Flash point:
Lower explosive limit:
Solubility in water
Auto-ignition temperature:
Octanol / water distribution
coefficient:

liquid Not available. Not available. Not available. Not available. Not available. Not available. Insoluble Not available. Not available.

Appearance: Odor: Melting point: Density: Vapor pressure: Ignition temperature: Upper explosive limit: Viscosity: Flammability: Decomposition temperature: Not available.

White Slight Not available. 1.52 g/cm3 Not available. Not available. Not available. 13500cps. Not available.

Conditions to avoid:	Keep away from heat, ignition sources and incompatible materials. Avoid moisture.
Incompatible products:	Strong oxidizing agents. Phosphorous. Acids.
Decomposition products:	Oxides of carbon. Oxides of nitrogen. Formaldehyde. Toxic fumes. Irritating vapors.
Hazardous polymerization:	None under normal processing.

11. Toxicological information

General toxicological information:

No laboratory animal data available.

Oral toxicity:

Acute toxicity estimate (ATE) :> 5,000 mg/kg Method: Calculation method

Other remarks: Not available.

Acute toxicity: Not available.

12. Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

Ecotoxicity:

No data available.

Other adverse effects:

Not available.

Toxicity:

No data available.

Persistence and degradability:

No data available.

Bioaccumulative potential / Mobility in soil:

No data available.

13. Disposal considerations

14. Transport information	
Disposal of uncleanedpackages:	After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.
Product disposal:	Dispose of in accordance with local and national regulations.

Road transport CN_DG: Not dangerous goods

Marine transport IMDG:

Not dangerous goods

Air transport IATA: Not dangerous goods

Notice For Transportation:

Transport according to local and national regulations. Ensure containers will not leak, collapse, or being damaged when transported. DO NOT transport with incompatible materials. Transportation vehicle should be equipped with right fire-fighting equipment in case of emergency. Avoid solarization, drenched and high temperature when transported.

15. Regulatory information

The following laws and regulations lay down provisions in terms of chemicals safety use, storage, transportation, loading/ unloading, classification as well as symbol.

"Law of the People's Republic of China on Work Safety"

" Law of the People's Republic of China on the Prevention and Treatment of Occupational Diseases"

"Regulation on the Safety Management of Hazardous Chemicals"

"Regulations on License to Work Safety"

16. Other information

Disclaimer:

This Safety Data Sheet has been generated in accordance with Chinese law only. It provides information on the chemical product in the aspects of safety, health, environment, etc, recommending preventive and protective measures and countermeasures in case of emergency. The information contained herein does not constitute a guarantee concerning the properties of the material. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export.